

## United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/018,515	12/13/2001	Satoshi Mekata	542-003-3	2642
4955	7590 03/01/2006		EXAMINER	
WARE FRESSOLA VAN DER SLUYS &			PRYOR, ALTON NATHANIEL	
ADOLPHSON, LLP BRADFORD GREEN BUILDING 5 755 MAIN STREET, P O BOX 224 MONROE, CT 06468			ART UNIT	PAPER NUMBER
			1616	
			DATE MAILED: 03/01/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/018,515	MEKATA ET AL.				
		Examiner	Art Unit				
		Alton N. Pryor	1616				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply  A QUARTENED STATUTORY REPLAN FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS.							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)	1) Responsive to communication(s) filed on <u>11/8/05</u> .						
	This action is FINAL. 2b)⊠ This action is non-final.						
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) <u>22</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.						
,	Claim(s) is/are allowed.						
,	6) Claim(s) <u>22</u> is/are rejected.						
	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.							
` 		. c. 2.0 cc cc ccp. 30					
Attachmer	nt(s)	_					
	ce of References Cited (PTO-892)	4) Interview Summar Paper No(s)/Mail I					
3) 🔲 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 er No(s)/Mail Date	m \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Patent Application (PTO-152)				

Application/Control Number: 10/018,515

Art Unit: 1616

## **DETAILED ACTION**

Objection to claim 22 will not be maintained in light of amendment filed 11/8/06.

Applicant has deleted numerical references to device parts in the claims.

Applicant's arguments, see paper, filed 11/8/05, with respect to claim 22 have been fully considered and are persuasive. The objection of record has been withdrawn. See reason above.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mizzi (US 4147284; 4/3/79). Mizzi teaches a two-part aerosol dispenser comprising a nozzle, pressure chamber (cylinder), needle and pump. See column 2 line 40 – column 3 line 45, claim 1. Mizzi does not teach or suggest the instant ratio of injection time to stop time. However, in a claim to a device parts to the device are essential not the instant ratio of injection time to stop time.

## Telephonic Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alton N. Pryor whose telephone number is 571-272-0621. The examiner can normally be reached on 8:00 a.m. - 4:30 p.m..

Page 3

Application/Control Number: 10/018,515

Art Unit: 1616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan can be reached on 571-272-0629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alton Pr

Primary Examiner

AU 1616